

JAYSAN AGRI INDUSTRIAL



ROUND STRAW BALER



Sensorized Bale Tracker



Electrical & Manual Hydraulic System



R 50H Chain Forging Sprocket



300 Roller Shaft



4G Gear Box

MODEL	JRB210	JRB310 Ex- wide	JRB311	JRB212	JRB312 Ex- 4G	JRB112
Bale Length	70cm	104 cm	93 cm	70 cm	93 cm	104 cm
Bale Diameter	50cm	50 cm	55 cm	60 cm	60 cm	60 cm
Bale Weight	13-18kg	19-25kg	20-28kg	20-25kg	30-35kg	30-40kg
No. of Rollers	10	10	11	12	12	12
Pickup Width	85cm	130cm	108cm	85cm	108cm	130cm
Tractor Power	25-50 Hp	25-50 Hp	25-50 Hp	25-50 Hp	25-50 Hp	25 -50 Hp
Weight	450 Kg	610 kg	540 kg	520 kg	640 kg	660 kg



- Strong Roller & Chain
- Effective Hydraulic System
- Wide Pickup Area
- Effective Scale Unit
- Adjust Pickup Height
- Advanced Safety System
- Bale Counting Machine
- Spare Support
- Special Prices
- Technical Team Support
- Mobile Interaction

HAY RAKE




- ▶ Quick Drying system
- ▶ Proper Row Alignment
- ▶ Easy for Baling
- ▶ Adjustable working width
- ▶ Spring Steel Tins
- ▶ Low maintenance



Forage Crop Cutter

- **Specially Designed to harvest Sorghum crop & forage crops**
- **Front & Back Mounting Facility**
- **Model Based on Tractor HP**
- **High Performance in field**
- **Low Maintenance**
- **Strong Gear Box**
- **Effective Cutter Bar Assembly**
- **Crops can be easily balled**
- **Easy 3 pin linkage**
- **High quality spares**
- **Technical Team Support**
- **Service Support**



Heavy Gearbox



Forging Sprockets



Fine Molded Fingers



Overload Slip Clutch



- Carbon Steel Blades
- Suitable for Dry & Green Fodders
- Automatic Overload System
- Forward & Reverse Operation

HORIZONTAL CHAFF CUTTER

Model: JCC - 4H

Operation	Horizontal
Capacity	800 to 1000kg
Speed	2800 RPM
Weight	100kg
No of Blades	4


- 2HP to 5HP Models
- ISO Certified Motors
- Single & 3 Phase Operation

Model: JCC - 2C


Operation	Circular
Capacity	1200 to 1500kg
Speed	1400 RPM
Weight	148kg
No of Blades	2




Sensorized Bale Tracker



R 50H Chain Forging Sprocket



Electrical & Manual Hydraulic System



300 Roller Shaft



Green & Dry Fodders

CIRCULAR CHAFF CUTTER



BANANA STEM CHOPPER



- **Height & Width Adjustment**
- **Safety Back Door**
- **3 Blades & 2 Blades Model**
- **Easy 3 Point Linkage**
- **16mm Straight Axis Blade**
- **No Need of Gripper Gear**
- **Low Maintenance**
- **Service Support**
- **Quality Spares**



BladesGuards



3 Blades



Height Adjustments



2 Blades

HYDRAULIC SHIFT ROTARY



- **Design to Reach Under & in Between The Trees**
- **Rotavator, Mulcher & Disc can be Attached**
- **Automatic Hydraulic System**
- **Easy 3 point Linkage**
- **Low Maintenance**
- **Service Support**
- **Quality Spares**



Diagonal Gear Box



Hydraulic Cylinder



Distributor



Disc Plough




MULCHER

Designed to Mulch BANANA, COTTON, SUGARCANE & Compost
Coconut & Other Agriculture Wastes

- **Depth, Height adjustment System**
- **External Belt Adjustment Type**
- **Front Side Safety Flap**
- **Hammer Type and Y Axis Type Blade**
- **DNA Structure Arrangement of Blades**
- **Outside Safety Slip clutch Arrangement**

Model	No.Blades	Width	Gear	Blade Type	Drive	Weight
JML 618	18	5Feet	Single Gear	Hammer Type	Belt Type	520
JML 624	24	6Feet	Single Gear	Knife Type	Belt Type	560



Belt



Bevel gear



Hammer & Knife



Bearing & Oil seal

SHREDDER



- **Agriculture waste can be converted into Compost**
- **Carbon Steel Blades & Steel Hammers**
- **Specially Designed Hopper**
- **Helps in easy Decomposition**
- **Quality Power Transmission System**

Model: JSH - 500	
No. of Blades	6
No of Hammers	36
PTO / RPM	540
Belt Pully	24'



Safety Guard



24" Pulley



Hammer & Knife

ROTAVATOR



- **Helical Arrangement of Blades**
- **Boron Steel Blades**
- **Multi Step Seals**
- **Zero Leakage System**
- **Height & Depth Adjustment**
- **Single & Multi Speed**
- **Suitable for Dry & Wet Field**
- **Heavy Damper Springs**
- **Common Spares**
- **Service Support**
- **High Performance**
- **Low Maintenance**



Safety Guard



24" Pulley




Hammer & Knife



Hammer & Knife

ROTAVATOR MODELS



Delta

Model	Blades	Width	Gear	P.Gear	Side Gear	3 Point Link	Weight
JRT156D	36	5	Single	11 x 19	20 x35 x28	Optional	340
JRT156D	42	6	Single	11 x 19	20 x35 x28	Optional	360

Athletic

Model	Blades	Width	Gear	P.Gear	Side Gear	3 Point Link	Weight
JRT156A	36	5	Single	11 x 19	20 x35 x28	Optional	340
JRT166A	42	6	Single	11 x 19	20 x35 x28	Optional	380
JRT256A	36	5	Multi	11 x 19	20 x35 x28	Optional	410
JRT266A	42	6	Multi	11 x 19	20 x35 x28	Optional	440



Hyper

Model	Blades	Width	Gear	P.Gear	Side Gear	3 Point Link	Weight
JRT156H	36	5	Multi	11 x 19	20 x35 x28	Optional	380
JRT166H	42	6	Multi	11 x 19	20 x35 x28	Optional	420

Jumbo

Model	Blades	Width	Gear	P.Gear	Side Gear	3 Point Link	Weight
JRT256J	36	5	Multi	11 x 19	20X43X28	Optional	550
JRT266J	42	6	Multi	11 x 19	20X43X28	Optional	590





98435 22997
94435 11997
95858 22997

Head Office:
33, West Street, Karattupalayam,
Vengambur (Po) Unjalur (Via),
Kodumudi, Erode - 638 152
Tamilnadu, INDIA

Factory:
80-1, 1C, Valiyampalayam,
S.S. Garden, Kaapikadai
Vilankurichi (Po) Coimbatore - 641 035
Tamilnadu, INDIA